

EPB979Hu61 100ug

**Eukaryotic Hepcidin (Hepc)** 

**Organism Species: Homo sapiens (Human)** 

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

11th Edition (Revised in May, 2016)

#### [PROPERTIES]

**Source:** Eukaryotic expression.

Host: 293F cell

Residues: Ser25~Thr84

**Tags:** Two Tags, His-tag and Fc-tag **Homology:** Mouse 60%, rat 57%

Tissue Specificity: Liver, Brain, Heart.

Subcellular Location: Secreted.

**Purity: >95%** 

**Endotoxin Level:** <1.0EU per 1µg (determined by the LAL method).

Traits: Freeze-dried powder

Buffer Formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 5%Trehalose and Proclin300.

Original Concentration: 200ug/mL
Predicted isoelectric point: 9.4
Predicted Molecular Mass: 34.1kDa

Accurate Molecular Mass: 33&40kDa as determined by SDS-PAGE reducing

conditions.

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; EMSA; Reporter Assays;

Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)



## [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [SEQUENCE]

SVFPQQ TGQLAELQPQ DRAGARASWM PMFQRRRRRD THFPICIFCC GCCHRSKCGM CCKT

# [ IDENTIFICATION ]




Figure 1. Gene Sequencing (extract)




Figure 2. SDS-PAGE