

EPB480Hu61 100µg

Eukaryotic Mannose Binding Lectin (MBL)

Organism Species: *Homo sapiens* (Human)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Eukaryotic expression

Host: 293F cell

Residues: Leu130~Ile248

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.2

Predicted Molecular Mass: 14.6kDa

Accurate Molecular Mass: 17kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

L GKQVGNKFFL TNGEIMTFEK
 VKALCVKFQA SVATPRNAE NGAIQNLIKE EAFLGITDEK TEGQFVDLTG
 NRLTYTNWNE GEPNNAAGSDE DCVLLKNGQ WNDVPCSTSH LAVCEFPI

[IDENTIFICATION]

TCGCGCAAGCAAGCTTGGACAGCTTCTCTCTGACCAATGCTGAAATATGACCTTTGAAAGAGTGAAGGCTTGTGTGTCAGTTCCAGGCTCTCTGCGCCAGCCGCAAGGCTCTCAGAGATCGAGCCATTCCAGATCTGATCAGAGAGGAGAGCCCTTCTGCGCATCAGTCTGAGAGCAGAGAGGCGCTTGTGCGAT
 I G K Q V G N K F F L T N G E I M T F E K V K A I C V K F Q A S V A T P R N A A E N G A I Q N L I K E E A F L G I T D E K T E G Q F V D




Figure . Gene Sequencing (extract)



Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.