

EPA890Ra61 50μg Eukaryotic Pulmonary Surfactant Associated Protein A1 (SFTPA1) Organism Species: *Rattus norvegicus (Rat)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

## [PROPERTIES]

Source: Eukaryotic expression

Host: 293F cell

Residues: Asn21~Phe248

Tags: N-terminal His Tag

Subcellular Location: Secreted

**Purity:** > 80%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.5

Predicted Molecular Mass: 25.8kDa

Accurate Molecular Mass: 26kDa as determined by SDS-PAGE reducing conditions.

#### [<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ <u>SEQUENCE</u> ]



NVTDVCAGSP GIPGAPGNHG LPGRDGRDGV KGDPGPPGPM GPPGGMPGLP GRDGLPGAPG APGERGDKGE PGERGLPGFP AYLDEELQTE LYEIKHQILQ TMGVLSLQGS MLSVGDKVFS TNGQSVNFDT IKEMCTRAGG NIAVPRTPEE NEAIASIAKK YNNYVYLGMI EDQTPGDFHY LDGASVNYTN WYPGEPRGQG KEKCVEMYTD GTWNDRGCLQ YRLAVCEF

## [IDENTIFICATION]




Figure. SDS-PAGE

## [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.