

EPA117Mu61 50µg Eukaryotic Superoxide Dismutase 3, Extracellular (SOD3) Organism Species: *Mus musculus (Mouse) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Cond-Clone Corp.

# [PROPERTIES]

**Source:** Eukaryotic expression **Host:** 293F cell

Residues: Ser25~Thr251

Tags: N-terminal His Tag

Subcellular Location: Secreted, Extracellular matrix

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.8

Predicted Molecular Mass: 26.5kDa

Accurate Molecular Mass: 33kDa as determined by SDS-PAGE reducing conditions.

#### Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

1.Splice variants: Alternative splicing may create different sized proteins from the same gene.

- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

### [<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.



Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no


obvious degradation and precipitation were observed. The loss rate is less than 5% within the

expiration date under appropriate storage condition.

## [SEQUENCE]

```
SSFDLA DRLDPVEKID RLDLVEKIGD
THAKVLEIWM ELGRRREVDA AEMHAICRVQ PSATLPPDQP QITGLVLFRQ
LGPGSRLEAY FSLEGFPAEQ NASNRAIHVH EFGDLSQGCD STGPHYNPME
VPHPQHPGDF GNFVVRNGQL WRHRVGLTAS LAGPHAILGR SVVVHAGEDD
LGKGGNQASL QNGNAGRRLA CCVVGTSSSA AWESQTKERK KRRESECKT
T
```

#### [IDENTIFICATION]



#### Figure . Gene Sequencing (extract)




Figure. SDS-PAGE



# [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.