

PAD523Hu81

FITC-linked Antibody to Heat Shock Protein 90kDa Alpha A1 (HSP90aA1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

## [ PRODUCT INFORMATION ]

**Immunogen:** HSP90aA1, Human **Purification:** Affinity Chromatography.

Clonality: Polyclonal Applications: WB, ICC, IHC-P, IHC-F, ELISA

Conjugation: FITC Concentration: 200µg/mL

**Host**: Rabbit **UOM**: 100μg

Immunoglobulin Type: IgG

## [ IMMUNOGEN INFORMATION ]

Immunogen: Recombinant HSP90aA1 (Met1~Asp732) with N-terminal His-Tag

expressed in E.coli.

Accession No.: RPD523Hu01

#### [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against HSP90aA1. It has been selected for its ability to recognize HSP90aA1 in immunohistochemical staining and western blotting.

# [APPLICATIONS]

Western blotting: 1:50-400

Immunocytochemistry in formalin fixed cells: 1:50-500

Immunohistochemistry in formalin fixed frozen section: 1:50-500

Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

#### [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

## [ QUALITY CONTROL ]

**Content:** The quality control contains recombinant HSP90aA1 (Met1~Asp732) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).


**Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

**Loading Buffer:** 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN<sub>3</sub> 0.02%.

## [STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles. **Note:** As fluorescence can photobleach when exposed to light, so the antibody must be protected from light.

## [ IMAGES ]



Used in Western Blot ,Sample:

Recombinant HSP90aA1.Human