




P91652Mu02 Interleukin 18 Receptor 1 (IL18R1) Organism: Mus musculus (Mouse) Instruction manual

# FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

# [DESCRIPTION]

Protein Names: Interleukin 18 Receptor 1 Synonyms: IL18R1 Species: Mouse Size: 100µg Source: Escherichia coli-derived Subcellular Location: Membrane; Single-pass type I membrane protein. [PROPERTIES] Residues: Cys182~Val336 (Accession # Q61098), with N-terminal His-Tag. Grade & Purity: >95%, 20kDa as determined by SDS-PAGE reducing conditions. Formulation: Supplied as lyophilized form in PBS, pH 7.4, containing 5% sucrose, 0.01% sarcosyl.




Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

Predicted Molecular Mass: 18.8kDa

Predicted isoelectric point: 6.5

Unique product Superb quality Client favorite Nicest service @ ISO9001:2008; @ ISO13485:2003; CE 11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us Export Processing Zone, Wuhan 430056, P.R. China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com







## [PREPARATION]

Reconstitute in sterile PBS, pH7.2-pH7.4.

## [STORAGE AND STABILITY]

#### Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

#### [<u>SEQUENCES</u>]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MGHHHHHHSGSEF- CVFSVHHNG TRYNITKTVN ITVIEGRSKV TPAILGPKCE KVGVELGKDV ELNCSASLNK DDLFYWSIRK EDSSDPNVQE DRKETTTWIS EGKLHASKIL RFQKITENYL NVLYNCTVAN EEAIDTKSFV LVRKEIPDIP GHVFTGGVTV LVLASV

Unique product Superb quality Client favorite Nicest service @ ISO9001:2008; @ ISO13485:2003; CE

11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us Export Processing Zone, Wuhan 430056, P.R. China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com