



# P90296Ra01 Lactoperoxidase (LPO)

Organism: Rattus norvegicus (Rat)

Instruction manual

# FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

# [ DESCRIPTION ]

Protein Names: Lactoperoxidase

Synonyms: LPO Species: Rat Size: 100µg

Source: Escherichia coli-derived

## [PROPERTIES]

Residues: Pro351~Glu589 (Accession # D4A400),

with N-terminal His-Tag.

Grade & Purity: >95%, 31kDa as determined by

SDS-PAGE reducing conditions.

Formulation: Supplied as lyophilized form in PBS, pH

7.4, containing 5% sucrose, 0.01% sarcosyl.


Endotoxin Level: <1.0 EU per 1µg (determined by the

LAL method).

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

Predicted Molecular Mass: 28.9kDa Predicted isoelectric point: 6.3







### [PREPARATION]

Reconstitute in sterile PBS, pH7.2-pH7.4.

### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

### [SEQUENCES]

The target protein is fused with N-terminal His-Tag, its sequence is listed below.

MGHHHHHHSGSEF- PCEVINATAG VPCFLAGDSR ASEQILLATS HTLFIREHNR

LARELSTLNP HWDGETLYQE TRKIMGAFIQ IITFRDYLPI LLGDEMQKWI PPYQGYNESV

DPRISNVFTF AFRFGHLEIP STVSRLDENY QPWGSEPELP LHTVFFNTWR LVKDGGIDPL

VRGLLAKKAK LMHQDRMMTG ELRNKLFQPT HTIHGFDLAS INIQRCRDHG MPGYNSWRAF

CGLSQPKTLE ELSAVMENE