

MAB693Hu24

Monoclonal Antibody to Fatty Acid Binding Protein 4 (FABP4)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



# [PROPERTIES]

**Source:** Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG1 Kappa

**Purification:** Protein A + Protein G affinity chromatography

Clone number: C4

Traits: Liquid

Concentration: 1mg/ml

**UOM:** 200µl

Cross Reactivity: Rat; Porcine; Gallus.

Applications: WB; IHC; ICC; IP.

## [ IMMUNOGEN ]

Immunogen: Recombinant FABP4 (Cys2~Ala132) expressed in E.coli

Accession No.: RPB693Hu01

### [ APPLICATIONS ]

Western blotting: 0.5-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined



by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [ IDENTIFICATION ]



DAB staining on IHC-P; Sample: DAB staining on IHC-P;

Human Cardiac Muscle Tissue; Primary Sample: Human Small intestine Tissue;

Ab: 10µg/ml Mouse Anti-Human FABP4 Primary Ab: 10µg/ml Mouse Anti-

Antibody Second Ab: 2µg/mL HRP- Human FABP4 Antibody

Linked Caprine Anti-Mouse IgG Second Ab: 2µg/mL HRP-Linked

Polyclonal Antibody (Catalog: Caprine Anti-Mouse IgG Polyclonal

SAA544Mu19) Antibody

(Catalog: SAA544Mu19)

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.