

MAA563Mu21

Monoclonal Antibody to Interleukin 1 Beta (IL1b)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG2b Kappa

**Purification:** Protein A + Protein G affinity chromatography

Clone number: D4

Traits: Liquid

Concentration: 1mg/mL

**UOM:** 100µL

Cross Reactivity: Human

**Applications: WB** 

### [ IMMUNOGEN ]

Immunogen: Recombinant IL1b (Val118~Ser269) expressed in E.coli

Accession No.: RPA563Mu02

#### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50% glycerol.

#### [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

# Coud-Clone Corp.

expiration date under appropriate storage condition.

## [ IDENTIFICATION ]





Western Blot; Sample: Lane1:
RAW264.7 cell lysate; Lane1: THP1
cell lysate; Lane1: A431 cell lysate
Primary Ab: 0.2µg/ml Mouse AntiMouse IL1b Antibody Second Ab:
0.2µg/mL HRP-Linked Caprine AntiMouse IgG Polyclonal Antibody
(Catalog: SAA544Mu19)

Western Blot; Samples: Lane1: THP1
treated with 10µg/ml LPS and 10µg/ml
ConA for 24 hours, cell precipitation;
Lane2: Untreated THP1 cell lysate;
Primary Ab: 0.2µg/ml Mouse AntiMouse IL1b Antibody
Second Ab: 0.2?g/ml HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody
(Catalog: SAA544Mu19)

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.