

MAA846Hu27

**Monoclonal Antibody to Prolactin (PRL)** 

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

**Source:** Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG2b Kappa

**Purification:** Protein A + Protein G affinity chromatography

Clone number: H4

Traits: Liquid

Concentration: 1mg/ml

**UOM:** 100µl

Cross Reactivity: Porcine.

**Applications: IHC** 

### [ IMMUNOGEN ]

Immunogen: Recombinant PRL (Leu29~Cys227) expressed in E.coli

Accession No.: RPA846Hu01

#### [ APPLICATIONS ]

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

#### [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the



expiration date under appropriate storage condition.

## [ IDENTIFICATION ]



DAB staining on IHC-P; Sample:
Porcine Pituitary Tissue; Primary Ab:
20µg/ml Mouse Anti-Human PRL
Antibody Second Ab: 2µg/mL HRPLinked Caprine Anti-Mouse IgG

Polyclonal Antibody (Catalog:

SAA544Mu19)

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.