

PAA733Hu01 Polyclonal Antibody to Mannose Receptor C Type 2 (MRC2) Organism Species: *Homo sapiens (Human) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

## Cond-Clone Corp.

### [PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.42mg/ml

**UOM:** 100µl

Cross Reactivity: Mouse;Rat

Applications: WB; IHC; ICC; IP.

#### [IMMUNOGEN]

Immunogen: Recombinant MRC2 (Pro41~Lys505) expressed in E.coli

Accession No.: RPA733Hu01

#### [APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50% glycerol.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

# Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[ IDENTIFICATION ]		
Weste kDa 70 44 33 26 22 18 14 10	ern Blot ←57kDa	kDa 250– 150– 100– 70– 50–
Figure. Western Blot; Sample:		Western Blot; Sample: Human 293T
Recombinant MRC2, Human.		cell lysate;
		Primary Ab: 2µg/ml Rabbit Anti-Human
		MRC2 Antibody
		Second Ab: 0.2µg/mL HRP-Linked
		Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.