

РΔ	<b>B29</b>	ΩH	lu01

Polyclonal Antibody to V-Myc Myelocytomatosis Viral Oncogene Homolog (MYC)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 500µg/mL

**UOM**: 1

Cross Reactivity: N/A

**Applications:** WB

### [ IMMUNOGEN ]

Immunogen: Recombinant MYC (Ser184~Ala454) expressed in E.coli

Accession No.: RPB290Hu01

### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



# [ IDENTIFICATION ]



Western Blot; Sample: Raji cell lysate Primary Ab: 0.2µg/ml Rabbit Anti-

Human MYC Antibody Second Ab:

0.2µg/mL HRP-Linked Caprine Anti-

Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.