

RPD666Ra01 100ug

Recombinant Acyl Coenzyme A Oxidase 2, Branched (ACOX2)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

kDa

70

44

33

26

22

18

14

10

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES.

10th Edition (Revised in Jan. 2014)

[PROPERTIES]

Residues: leu470~lys668

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: F1LNW3

Host: E. coli

Subcellular Location: Peroxisome.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in 20mM Tris,

150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% sarcosyl, 5% trehalose, and preservative.

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

15% SDS-PAGE Predicted isoelectric point: 6.2 Predicted Molecular Mass: 26.3kDa

[USAGE]

Reconstitute in sterile ddH₂O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

L PQSVMYIATQ RPARCSAQTA ADFRCPDVYT TAWAYVSTRL IRDAAHRTQT LMKSGVDQHD AWNQTTVIHL QAAKAYCYFI TVKNFKEAVE KLDKEPEIQR VLQRLCDLYA LHGVLTNSGD FLHDGFLSGA QVDMAREAFL DLLPLIRKDA ILLTDAFDFS DHCLNSALGC YDGHVYERLF EWAQKSPANT QENPAYKK