

RPQ372Hu01 50µg Recombinant Adipocyte Plasma Membrane Associated Protein (APMAP) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Glu62~Arg289 **Tags:** N-terminal His-Tag Tissue Specificity: Liver, Placenta, Heart. Subcellular Location: Membrane; Single-pass type II membrane protein. **Purity:** >99% Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% Trehalose and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 5.6 Predicted Molecular Mass: 29.2kDa Accurate Molecular Mass: 29kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

ESPIDPQPL SFKEPPLLLG VLHPNTKLRQ AERLFENQLV GPESIAHIGD VMFTGTADGR VVKLENGEIE TIARFGSGPC KTRDDEPVCG RPLGIRAGPN GTLFVADAYK GLFEVNPWKR EVKLLLSSET PIEGKNMSFV NDLTVTQDGR KIYFTDSSSK WQRRDYLLLV MEGTDDGRLL EYDTVTREVK VLLDQLRFPN GVQLSPAEDF VLVAETTMAR IRSSLVKRR

[IDENTIFICATION]




Figure 1. SDS-PAGE