

RPE832Hu01 100ug

Recombinant Aldehyde Dehydrogenase 3 Family, Member B1 (ALDH3B1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Glu459

Tags: N-terminal His Tag

Subcellular Location: Membrane

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: pH7.4, containing 0.01% SKL, 5% Trehalose

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.6

Predicted Molecular Mass: 54.7kDa

Accurate Molecular Mass: 55kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

MDPLGDTLRR LREAFHAGRT RPAEFRAAQL QGLGRFLQEN KQLLHDALAQ DLHKSAFES EVSEVAISQG EVTLALRNLR AWMKDERVPK NLATQLDSAF I RKEPFGLV LIIAPWNYPL NLTLVPLVGA LAAGNCVVLK PSEISKNVEK IL AEVLPQY VDQSCFAVVL GGPQETGQLL EHRFDYIFFT GSPRVGKIVM TAA AKHLTP VTLELGGKNP CYVDDNCDPQ TVANRVAWFR YFNAGQTCVA PDYV LCSPE MQERLLPALQ STITRFYGDD PQSSPNLGRI INQKQFQRLR ALLGC GRVA IGGQSDESDR YIAPTVLVDV QEMEPVMQEE IFGPILPIVN VQSLDE AIE FINRREKPLA LYAFSNSSQV VKRVLTQTSS GGFCGNDGFM HMTLASL PF GGVGASGMGR YHGKFSFDTF SHHRACLLRS PGMEKLNALR YPPQSPRR L RMLLVAME

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.