

RPA217Mu01 50µg Recombinant Alpha-1-Microglobulin/Bikunin Precursor (a1M) Organism Species: Mus musculus (Mouse) *Instruction manual* 

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression. Host: E. coli Residues: Arg18~Ala202 **Tags:** N-terminal His-Tag Tissue Specificity: Liver. Subcellular Location: Secreted. **Purity: >95%** Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300. Original Concentration: 200ug/mL Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 8.0 Predicted Molecular Mass: 22.3kDa

Accurate Molecular Mass: 24kDa as determined by SDS-PAGE reducing conditions.

# [ <u>USAGE ]</u>

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

RAD PASTLPDIQV QENFSESRIY GKWYNLAVGS TCPWLSRIKD KMSVSTLVLQ EGATETEISM TSTRWRRGVC EEITGAYQKT DIDGKFLYHK SKWNITLESY VVHTNYDEYA IFLTKKSSHH HGLTITAKLY GREPQLRDSL LQEFKDVALN VGISENSIIF MPDRGECVPG DREVEPTSIA RA

#### [IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)




Figure 2. SDS-PAGE