

RPA009Ra01 100ug Recombinant Angiopoietin 2 (ANGPT2) Organism Species: *Rattus norvegicus (Rat) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

#### [PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Gln33~Val243 Tags: N-terminal His Tag Subcellular Location: Secreted Purity: > 97% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 5.5 Predicted Molecular Mass: 25.4kDa Accurate Molecular Mass: 25kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [ <u>SEQUENCE</u> ]

## Cond-Clone Corp.

QYQVQNGP CSYTFLLPET DSCRSSSSPY MSNAVQRDAP LDYDDSVQRL QVLENILENN TQWLMKLENY IQDNMKKEMV EIQQNVVQNQ TAVMIEIGTS LLNQTAAQTR KLTDVEAQVL NQTTRLELQL LQHSISTNKL EKQILDQTSE INKLQDKNSF LEKKVLDMED KHSVQLQSMK EQKDQLQVLV SKQSSVIDEL EKKLVTATVN NSV

### [IDENTIFICATION]





Figure . Gene Sequencing (extract)



#### [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.