

RPE779Hu01 50µg Recombinant Annexin A9 (ANXA9) Organism Species: *Homo sapiens (Human) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Met345

Tags: N-terminal His and GST Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.5

Predicted Molecular Mass: 68.4kDa

Accurate Molecular Mass: 68kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Cloud-Clone Corp.

[<u>SEQUENCE</u>]

MSVTGGKMAP	SLTQEILSHL	GLASKTAAWG	TLGTLRTFLN	FSVDKDAQRL
LRAITGQGVD	RSAIVDVLTN	RSREQRQLIS	RNFQERTQQD	LMKSLQAALS
GNLERIVMAL	LQPTAQFDAQ	ELRTALKASD	SAVDVAIEIL	ATRTPPQLQE
CLAVYKHNFQ	VEAVDDITSE	TSGILQDLLL	ALAKGGRDSY	SGIIDYNLAE
QDVQALQRAE	GPSREETWVP	VFTQRNPEHL	IRVFDQYQRS	TGQELEEAVQ
NRFHGDAQVA	LLGLASVIKN	TPLYFADKLH	QALQETEPNY	QVLIRILISR
CETDLLSIRA	EFRKKFGKSL	YSSLQDAVKG	DCQSALLALC	RAEDM

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.