

RPE234Hu01 200µg

Recombinant Apoptosis Inhibitor 5 (API5)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residuess: Pro2~Phe360

Tags: N-terminal His Tag

Tissue Specificity: Nucleus, Cytoplasm

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose

and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.7

Predicted Molecular Mass: 44.2kDa

Accurate Molecular Mass: 44kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[SEQUENCE]

PTVEELYRN YGILADATEQ VGQHKDAYQV ILDGVKGGTK EKRLAAQFIP KFFKHFPELA DSAINAQLDL CEDEDVSIRR QAIKELPQFA TGENLPRVAD ILTQLLQTDD SAEFNLVNNA LLSIFKMDAK GTLGGLFSQI LQGEDIVRER AIKFLSTKLK TLPDEVLTKE VEELILTESK KVLEDVTGEE FVLFMKILSG LKSLQTVSGR QQLVELVAEQ ADLEQTFNPS DPDCVDRLLQ CTRQAVPLFS KNVHSTRFVT YFCEQVLPNL GTLTTPVEGL DIQLEVLKLL AEMSSFCGDM EKLETNLRKL FDKLLEYMPL PPEEAENGEN AGNEEPKLQF SYVECLLYSF HQLGRKLPDF

[IDENTIFICATION]

