RPB358Mu01 100µg Recombinant Apoptosis Signal Regulating Kinase 1 (ASK1)

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

C Cloud-Clone Corp.

10th Edition (Revised in Jan, 2014)

Instruction manual

kDa 94 66.2

Organism Species: Mus musculus (Mouse)

[PROPERTIES]

Residues: Leu693~Arg933Tags: Two N-terminal Tags, His-tag and T7-tagAccession: O35099Host: E. coliSubcellular Location: Cytoplasm. Endoplasmicreticulum.Purity: >95%Endotoxin Level: <1.0EU per 1µg</td>(determined by the LAL method).Formulation: Supplied as lyophilized form in 20mM Tris,500mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,0.01% sarcosyl, 5% trehalose, and preservative.Predicted isoelectric point: 8.6Predicted Molecular Mass: 30.8kDaApplications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[USAGE]

Reconstitute in ddH₂O.



15% SDS-PAGE

Coud-Clone Corp.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

LGKGTYGI VYAGRDLSNQ VRIAIKEIPE RDSRYSQPLH EEIALHKHLK HKNIVQYLGS FSENGFIKIF MEQVPGGSLS ALLRSKWGPL KDNEQTIGFY TKQILEGLKY LHDNQIVHRD IKGDNVLINT YSGVLKISDF GTSKRLAGIN PCTETFTGTL QYMAPEIIDK GPRGYGKAAD IWSLGCTIIE MATGKPPFYE LGEPQAAMFK VGMFKVHPEI PESMSAEAKA FILKCFEPDP DKR

[REFERENCES]

- 1. Tobiume K., et al. (1997) Biochem. Biophys. Res. Commun. 239:905-910.
- 2. Tobiume K., et al. (2001) EMBO Rep. 2:222-228.
- 3. Tobiume K., et al. (2002) J. Cell. Physiol. 191:95-104.
- 4. Matsuzawa A., et al. (2005) Nat. Immunol. 6:587-592.