

RPJ527Hu01 200µg Recombinant Biotinidase (BTD) Organism Species: *Homo sapiens (Human)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression
Host: E.coli

Residues: Ala42~Ala271

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose .

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.4

Predicted Molecular Mass: 30.1kDa

Accurate Molecular Mass: 30kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Cloud-Clone Corp.

[<u>SEQUENCE</u>]

AHTGEESVA DHHEAEYYVA AVYEHPSILS LNPLALISRQ EALELMNQNL DIYEQQVMTA AQKDVQIIVF PEDGIHGFNF TRTSIYPFLD FMPSPQVVRW NPCLEPHRFN DTEVLQRLSC MAIRGDMFLV ANLGTKEPCH SSDPRCPKDG RYQFNTNVVF SNNGTLVDRY RKHNLYFEAA FDVPLKVDLI TFDTPFAGRF GIFTCFDILF FDPAIRVLRD YKVKHVVYPT A


[IDENTIFICATION]



IGGET CTEATE AGE COCCANG AGGEET IGG AGE TEATGAACEAGAACET IG AEATETATGAAEAGEAAGTGATGAETGEAGOCEAAAAGGATGTAEAGA

Figure . Gene Sequencing (extract)

I GGATO GGAATTO GO COACACO G GGG A GGAGA G CITGACITGACA TO A CGAGG C TGAATATTATG TG G C TROOGTG TATGAG A TO CA



[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.