

RPB476Ra01 100µg Recombinant Colony Stimulating Factor Receptor, Granulocyte (GCSFR) Organism Species: *Rattus norvegicus (Rat)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Lys655~Phe838 Tags: N-terminal His Tag Subcellular Location: Membrane Purity: > 90% Traits: Freeze-dried powder Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300. Original Concentration: 200µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 4.8 Predicted Molecular Mass: 21.6kDa Accurate Molecular Mass: 22/27kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Cond-Clone Corp.

[SEQUENCE]

KTFFWP NVPDPAHSSL SAWVPTIMTE ETFQLPSFWG SSVPSITKIT ELEEDKKPTH WDPSESSGTG SLPAVVQAYV LQGDPREISN QFQPPSSTND QVLYGQVLGS PTSPEVVGYL RCDSTQPLLG GPTPSPKSYE NIWFHSRPQE TFIPQPPSQE DDCVFGPPFD FPLFQGLQVH GVEEQGGF

[IDENTIFICATION]




Figure. SDS-PAGE

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.