

RPA635Hu01 50µg

Recombinant Complement Factor H (CFH)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Ser860~Arg1231

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 120µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.1

Predicted Molecular Mass: 43.0kDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.



Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
S IPLCVEKIPC SQPPQIEHGT INSSRSSQES YAHGTKLSYT
CEGGFRISEE NETTCYMGKW SSPPQCEGLP CKSPPEISHG VVAHMSDSYQ
YGEEVTYKCF EGFGIDGPAI AKCLGEKWSH PPSCIKTDCL SLPSFENAIP
MGEKKDVYKA GEQVTYTCAT YYKMDGASNV TCINSRWTGR PTCRDTSCVN
PPTVQNAYIV SRQMSKYPSG ERVRYQCRSP YEMFGDEEVM CLNGNWTEPP
QCKDSTGKCG PPPPIDNGDI TSFPLSVYAP ASSVEYQCQN LYQLEGNKRI
TCRNGQWSEP PKCLHPCVIS REIMENYNIA LRWTAKQKLY SRTGESVEFV
CKRGYRLSSR SHTLRTTCWD GKLEYPTCAK R
```

[IDENTIFICATION]

SAATTCTCAATACCACTCTGTGTTGAAAAAATTCCATGTTCACAACCACCTCAGATAGAACACGGAACCATTAATTCATCCAGGTCTTCACAAGAAAAGTTATCCACTGGGACTAAATTGAGTTATACTTGTGAGGGTGTTTCAGGATATCTGAAGAAAACAACAGGAACAACATGCTACATG




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.