

RPG182Hu01 500µg

**Recombinant Dedicator Of Cytokinesis 2 (DOCK2)** 

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Ile390~Glu635

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm

**Purity:** > 97%

Traits: Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 450µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 31.7kDa

**Accurate Molecular Mass:** 32kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



			I	IQIRKDYPHL
VDRTTVVARK	LGFPEIIMPG	DVRNDIYITL	LQGDFDKYNK	TTQRNVEVIM
CVCAEDGKTL	PNAICVGAGD	KPMNEYRSVV	YYQVKQPRWM	ETVKVAVPIE
DMQRIHLRFM	FRHRSSLESK	DKGEKNFAMS	YVKLMKEDGT	TLHDGFHDLV
VLKGDSKKME	DASAYLTLPS	YRHHVENKGA	TLSRSSSSVG	GLSVSSRDVF
SISTLVCSTK	LTQNVGLLGL	LKWRMKPQLL	QENLE	

## [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.