

RPC247Hu01 50µg

Recombinant Deoxyribonuclease II (DNASEII)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Cys19~lle360

Tags: N-terminal His Tag

Subcellular Location: Lysosome

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% skl, 5%Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.4

Predicted Molecular Mass: 41.5kDa

Accurate Molecular Mass: 42kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



```
CY GDSGQPVDWF VVYKLPALRG SGEAAQRGLQ
YKYLDESSGG WRDGRALINS PEGAVGRSLQ PLYRSNTSQL AFLLYNDQPP
QPSKAQDSSM RGHTKGVLLL DHDGGFWLVH SVPNFPPPAS SAAYSWPHSA
CTYGQTLLCV SFPFAQFSKM GKQLTYTYPW VYNYQLEGIF AQEFPDLENV
VKGHHVSQEP WNSSITLTSQ AGAVFQSFAK FSKFGDDLYS GWLAAALGTN
LQVQFWHKTV GILPSNCSDI WQVLNVNQIA FPGPAGPSFN STEDHSKWCV
SPKGPWTCVG DMNRNQGEEQ RGGGTLCAQL PALWKAFQPL VKNYQPCNGM
ARKPSRAYKI
```

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.