

RPA696Hu01 10µg

Recombinant Dihydrolipoyl Transacetylase (DLAT)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Gln374~Trp631

Tags: N-terminal His Tag

**Subcellular Location:** Mitochondrion

**Purity:** > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.4

Predicted Molecular Mass: 28.7kDa

Accurate Molecular Mass: 28kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



```
QVKGTGP DGRITKKDID SFVPSKVAPA
PAAVVPPTGP GMAPVPTGVF TDIPISNIRR VIAQRLMQSK QTIPHYYLSI
DVNMGEVLLV RKELNKILEG RSKISVNDFI IKASALACLK VPEANSSWMD
TVIRQNHVVD VSVAVSTPAG LITPIVFNAH IKGVETIAND VVSLATKARE
GKLQPHEFQG GTFTISNLGM FGIKNFSAII NPPQACILAI GASEDKLVPA
DNEKGFDVAS MMSVTLSCDH RVVDGAVGAO W
```

## [ IDENTIFICATION ]




Figure. SDS-PAGE

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.