

RPA029Mu01 100µg

**Recombinant E-selectin** 

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Trp22~Leu371

Tags: N-terminal His and GST Tag

**Subcellular Location:** Membrane

**Purity:** > 90%

Traits: Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.2

Predicted Molecular Mass: 68.7kDa

**Accurate Molecular Mass:** 69kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



		WYYNASSEL	MTYDEASAYC	QRDYTHLVAI
QNKEEINYLN	SNLKHSPSYY	WIGIRKVNNV	WIWVGTGKPL	TEEAQNWAPG
<b>EPNNKQRNED</b>	CVEIYIQRTK	DSGMWNDERC	NKKKLALCYT	ASCTNASCSG
HGECIETINS	YTCKCHPGFL	<b>GPNCEQAVTC</b>	<b>KPQEHPDYGS</b>	LNCSHPFGPF
SYNSSCSFGC	KRGYLPSSME	TTVRCTSSGE	WSAPAPACHV	VECEALTHPA
HGIRKCSSNP	GSYPWNTTCT	FDCVEGYRRV	GAQNLQCTSS	GIWDNETPSC
KAVTCDAIPQ	<b>PQNGFVSCSH</b>	STAGELAFKS	SCNFTCEQSF	TLQGPAQVEC
SAQGQWTPQI	<b>PVCKAVQCEA</b>	L		

## [ IDENTIFICATION ]




Figure. SDS-PAGE

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.