

RPB433Ga01 100ug

Recombinant Enolase 3 (ENO3)

Organism Species: Chicken (Gallus)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Lys434 (Accession # P07322)

Tags: N-terminal His and GST Tag

Subcellular Location: Cytoplasm

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.9

Predicted Molecular Mass: 77.2kDa

Accurate Molecular Mass: 77kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



```
MSIQKIHARE ILDSRGEPTV EVDLHTAKGH FRAAVPSGAS TGIHEALEPR DGDKKRFLGK
GVLKAVEHIN KTIGPALIEK KISVVEQEKI DKVMIEMDGT ENKSKFGANA ILGVSLAVCK
AGAAEKGVPL YRHIADLAGN TELILPVPAF NVINGGSHAG NKLAMQEFMV LPVGAASFHD
AMRVGAEVYH SLKGVIKAKY GKDATNVGGE GGFAPNILDN HEALELLKAA IAQAGYTDKV
VIGMDVAASE FCRDGRYHLD FKSPPHTKRY ITGEQLGEIY RGFIKDYPVV SIEDPFDQDD
WEAWKRFVFH VDIQVVGDDL TVTNPKRIAH GAEQHACNCL LLKVNQIGSV TESIQACKLA
QSHGWGVMVS HRSGETEDTF IADLVVGLCT GQIKTGAPCR SERLAKYNQL MRIEEALGDK
```

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.