

**RPB050Ra01 10 $\mu$ g**  
**Recombinant Estrogen Receptor Alpha (ER $\alpha$ )**  
**Organism Species: *Rattus norvegicus* (Rat)**  
***Instruction manual***

FOR RESEARCH USE ONLY  
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

## [ **PROPERTIES** ]

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Arg248~Leu484

**Tags:** N-terminal His and GST Tag

**Subcellular Location:** Membrane, Nucleus, Cytoplasm, Chromosome

**Purity:** > 97%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose .

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 7.1

**Predicted Molecular Mass:** 57.0kDa

**Accurate Molecular Mass:** 57kDa as determined by SDS-PAGE reducing conditions.

## [ **USAGE** ]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## [ **STORAGE AND STABILITY** ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**[ SEQUENCE ]**

RKC  
YEVGMMKGGI RKDRRGGRML KHKRQRDDLE GRNEMGTSGD MRAANLWPSP  
LVIKHTKKNS PALSILTADQM VSALLDAEPP LIYSEYDPSR PFSEASMMGL  
LTNLADRELV HMINWAKRVP GFGDLNLHDQ VHLLECAWLE ILMIGLVWRS  
MEHPGKLLFA PNLLLDRNQG KCVEGMVEIF DMLLATSSRF RMMNLQGEEF  
VCLKSIILLN SGVYTFLSST LKSLEEKDHI HRVL

**[ IDENTIFICATION ]**



**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.