

RPD156Ra01 100µg

Recombinant Fasciculation And Elongation Protein Zeta 2 (FEz2)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Met1~Thr375

Tags: N-terminal His Tag

**Subcellular Location:** Cytoplasm

**Purity:** > 95%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.6

Predicted Molecular Mass: 45.8kDa

**Accurate Molecular Mass:** 46kDa as determined by SDS-PAGE reducing conditions.

### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



MAADGDWQDF	YEFQEPAGSV	RDQENCNASP	EAGAGAHAGG	DSFPALASSL	EEKLSLCFRP	TSDADPPRAA
VRPITERSLL	QGDEIWNALT	DNYGNVMPVD	WKSSHTRTLH	LLTLNLTEKG	MSDGLPFDTS	DEEELREQLD
MHSIIVSCVN	EEPLFTADQV	IEEIEEMMQE	SPDLEDDETP	TQSDRLSMLS	QEIQTLKSSS	MSSCEERVKR
LSVSELNELL	EEIETAIKEY	SEELVQQLAL	RDELEFEKEV	ENSFISALIE	VQNKQKEHKE	TAKKKKKLKN
GSSQNGRNER	SHMPGTRFSM	EGISNVIQNG	LRHTFGNSGG	EKQYLTTVIP	YEKKNGPPSV	EDLQILTKIL
HAMKEDSEKV	PSLLTDYILK	VLCPT				

## [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.