

RPF196Hu01 10µg

Recombinant Fucosyltransferase 6 (FUT6)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Arg35~Thr359

Tags: N-terminal His Tag

Subcellular Location: Membrane, Golgi apparatus

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.0

Predicted Molecular Mass: 41.6kDa

Accurate Molecular Mass: 40kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



			RVSQDD	PTVYPNGSRF
PDSTGTPAHS	IPLILLWTWP	FNKPIALPRC	SEMVPGTADC	NITADRKVYP
QADAVIVHHR	EVMYNPSAQL	PRSPRRQGQR	WIWFSMESPS	HCWQLKAMDG
YFNLTMSYRS	DSDIFTPYGW	LEPWSGQPAH	PPLNLSAKTE	LVAWAVSNWG
PNSARVRYYQ	SLQAHLKVDV	YGRSHKPLPQ	GTMMETLSRY	KFYLAFENSL
HPDYITEKLW	RNALEAWAVP	VVLGPSRSNY	ERFLPPDAFI	HVDDFQSPKD
LARYLQELDK	DHARYLSYFR	WRETLRPRSF	SWALAFCKAC	WKLQEESRYQ
TRGIAAWFT				

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.