

RPC934Hu01 10µg

Recombinant Gamma-Aminobutyric Acid B Receptor 1 (gABBR1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Val199~Gly570

Tags: N-terminal His Tag

**Subcellular Location:** Membrane

**Purity:** > 90%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 50µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.2

Predicted Molecular Mass: 46.1kDa

**Accurate Molecular Mass:** 44kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.2 mg/mL. Do not vortex.

### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCE ]



l	VN				
	SRRDILPDYE	LKLIHHDSKC	DPGQATKYLY	ELLYNDPIKI	ILMPGCSSVS
	TLVAEAARMW	NLIVLSYGSS	SPALSNRQRF	PTFFRTHPSA	TLHNPTRVKL
	FEKWGWKKIA	TIQQTTEVFT	STLDDLEERV	KEAGIEITFR	QSFFSDPAVP
	VKNLKRQDAR	IIVGLFYETE	ARKVFCEVYK	ERLFGKKYVW	FLIGWYADNW
	FKIYDPSINC	TVDEMTEAVE	${\tt GHITTEIVML}$	NPANTRSISN	MTSQEFVEKL
	TKRLKRHPEE	TGGFQEAPLA	YDAIWALALA	LNKTSGGGGR	SGVRLEDFNY
	NNQTITDQIY	RAMNSSSFEG	VSGHVVFDAS	GSRMAWTLIE	QLQGGSYKKI
	GYYDSTKDDL	SWSKTDKWIG			

# [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.