

RPE531Mu01 10µg Recombinant Gasdermin A (GSDMA) Organism Species: *Mus musculus (Mouse) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression Host: *E.coli* Residues: Met1~Gln348

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 350µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.6

Predicted Molecular Mass: 42.5kDa

Accurate Molecular Mass: 43kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

Contend Clone Corp.

MTMFENVTRA LARQLNPRGD LTPLDSLIDF KRFHPFCLVL RKRKSTLFWG ARYVHTDYT LLDVLEPGSS PSDPTDSGNF SFKNMLDARV EGDVDVPKTV KVKGTAGLS RSSTLEVQTL SVAPTALENL HKERKLSADH PFLKEMRERG ENLYVVMEV VETLQEVTLE RAGKAEGCFS LPFFAPLGLQ GSVNHKEAVT IPKGCVLAY RVRQLMVNGK DEWGIPHICN DSMQTFPPGE KPGEGKFILI QASDVGEMH EDFKTLKEEV QRETQEVEKL SPVGRSSLLT SLSHLLGKKK ELQDLEQTL EGALDKGHEV TLEALPKDVL LSKDAMDAIL YFLGALTVLS EAQQ

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.