

RPB217Hu02 100µg Recombinant Hyaluronidase (HAase) Organism Species: *Homo sapiens (Human) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Phe22~Trp435

Tags: N-terminal His Tag

Subcellular Location: Secreted, Lysosome

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.9

Predicted Molecular Mass: 49.7kDa

Accurate Molecular Mass: 46kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

Cond-Clone Corp.

FRGPLLPNR PFTTVWNANT QWCLERHGVD VDVSVFDVVA NPGQTFRGPD MTIFYSSQLG TYPYYTPTGE PVFGGLPQNA SLIAHLARTF QDILAAIPAP DFSGLAVIDW EAWRPRWAFN WDTKDIYRQR SRALVQAQHP DWPAPQVEAV AQDQFQGAAR AWMAGTLQLG RALRPRGLWG FYGFPDCYNY DFLSPNYTGQ CPSGIRAQND QLGWLWGQSR ALYPSIYMPA VLEGTGKSQM YVQHRVAEAF RVAVAAGDPN LPVLPYVQIF YDTTNHFLPL DELEHSLGES AAQGAAGVVL WVSWENTRTK ESCQAIKEYM DTTLGPFILN VTSGALLCSQ ALCSGHGRCV RRTSHPKALL LLNPASFSIQ LTPGGGPLSL RGALSLEDQA QMAVEFKCRC YPGWQAPWCE RKSMW




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.