

RPD881Hu01 50µg Recombinant Insulin Receptor Substrate 4 (IRS4) Organism Species: *Homo sapiens (Human) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression Host: E.coli Residues: Met1~Arg196 Tags: N-terminal His Tag Subcellular Location: Membrane **Purity:** > 97% Traits: Freeze-dried powder **Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose. Original Concentration: 250µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) Predicted isoelectric point: 9.0 Predicted Molecular Mass: 25.0kDa Accurate Molecular Mass: 29kDa as determined by SDS-PAGE reducing conditions. Phenomenon explanation: The possible reasons that the actual band size differs from the predicted are as follows: 1.Splice variants: Alternative splicing may create different sized proteins from the same gene. 2. Relative charge: The composition of amino acids may affects the charge of the protein. 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc. 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form. 5. Polymerization of the target protein: Dimerization, multimerization etc. [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.



Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no


obvious degradation and precipitation were observed. The loss rate is less than 5% within the

expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

MASCSFTRDQ ATRRLRGAAA AAAAALAAVV TTPLLSSGTP TALIGTGSSC PGAMWLSTAT GSRSDSESEE EDLPVGEEVC KRGYLRKQKH GHRRYFVLKL ETADAPARLE YYENARKFRH SVRAAAAAA AAASGAAIPP LIPPRRVITL YQCFSVSQRA DARYRHLIAL FTQDEYFAMV AENESEQESW YLLLSR

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.