

RPF492Mu01 100µg Recombinant Intersectin 2 (ITSN2) Organism Species: *Mus musculus (Mouse) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Ala290

Tags: N-terminal His and GST Tag

Subcellular Location: Cytoplasm

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.7

Predicted Molecular Mass: 60.8kDa

Accurate Molecular Mass: 61kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

Cloud-Clone Corp.

MMAQFPTAMN	GGPNMWAITS	EERTKHDKQF	DNLKPSGGYI	TGDQARTFFL
QSGLPAPVLA	EIWALSDLNK	DGKMDQQEFS	IAMKLIKLKL	QGQQLPVVLP
PIMKQPPMFS	PLISARFGMG	SMPNLSIHQP	LPPVAPIATP	LSSATSGTSI
PPLMMPAPLV	PSVSTSSLPN	GTASLIQPLS	IPYSSSTLPH	ASSYSLMMGG
FGGASIQKAQ	SLIDLGSSSS	TSSTASLSGN	SPKTGTSEWA	VPQPSRLKYR
QKFNSLDKGM	SGYLSGFQAR	NALLQSNLSQ	TQLATIWTLA	

[IDENTIFICATION]

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.