

RPF550Hu01 50µg

Recombinant Lamin A/C (LMNA)

Organism Species: *Homo sapiens* (Human)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Met1~Glu422

Tags: N-terminal His Tag

Subcellular Location: Nucleus

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% skl, 5%Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.2

Predicted Molecular Mass: 52.2kDa

Accurate Molecular Mass: 52kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

METPSQRRAT RSGAQSSTP LSPTRITRLQ EKEDLQELND RLAVYIDRVR
SLETENAGLR LRITSEEEV SREVSGIKAA YEAELGDARK TLDSVAKERA
RLQLELSKVR EEFKELKARN TKKEGDIAA QARLKDLEAL LNSKEAALST
ALSEKRTLEG ELHDLRGQVA KLEAALGEAK KQLQDEMLRR VDAENRLQTM
KEELDFQKNI YSEELRETR RHETRLVEID NGKQREFESR LADALQELRA
QHEDQVEQYK KELEKTYSAK LDNARQSAER NSNLVGAHE ELQQSRIRID
SLSAQLSQLQ KQLAAKEAKL RDLEDLARE RDTSRLLAE KEREMAEMRA
RMQQQLDEYQ ELLDIKLALD MEIHAYRKLL EGEEERLRLS PSPTSQRSRG
RASSHSSQTQ GGSVTKKRK LE
    
```

[IDENTIFICATION]





Figure . Gene Sequencing (extract)



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.