

RPC641Mu01 100µg

**Recombinant Microsomal Triglyceride Transfer Protein (MTTP)** 

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Leu28~Gly459

Tags: N-terminal His Tag

Subcellular Location: Endoplasmic reticulum lumen

**Purity:** > 97%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.6

Predicted Molecular Mass: 47.1kDa

**Accurate Molecular Mass:** 47kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCE ]



LNN ERLYKLTYST EVFLDGGKGK PQDSVGYKIS SDVDVVLLWR NPDGDDDQVI QVTITAVNVE NAGQQRGEKS IFQGKSTPKI
IGKDNLEALQ RPMLLHLVRG KVKEFYSYEN EPVGIENLKR GLASLFQMQL SSGTTNEVDI SGDCKVTYQA QQDKVVKIKA LDTCKIERSG
FTTANQVLGV SSKATSVTTY KIEDSFVTAV LAEETRAFAL NFQQTIAGKI VSKQKLELKT TEAGPRMIPG KQVAGVIKAV DSKYKAIPIV
GQVLERVCKG CPSLAEHWKS IRKNLEPENL SKAEAVQSFL AFIQHLRTSR REEILQILKA EKKEVLPQLV DAVTSAQTPD SLEAILDFLD
FKSDSSIILQ ERFLYACGFA THPDEELLRA LLSKFKGSFA SNDIRESVMI IIGALVRKLC QNEGCKLKAV VEAKKLILG

## [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.