

RPD179Mu01 100µg Recombinant Nucleobindin 1 (NUCB1) Organism Species: *Mus musculus (Mouse) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Val26~Asp413

Tags: N-terminal His Tag

Subcellular Location: Membrane, Secreted, Cytoplasm, Golgi apparatus

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.8

Predicted Molecular Mass: 49.6kDa

Accurate Molecular Mass: 50kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[SEQUENCE]

```
VPVDR AAPPQEDSQA TETPDTGLYY
HRYLQEVINV LETDGHFREK LQAANAEDIK SGKLSQELDF VSHNVRTKLD
ELKRQEVSRL RMLLKAKMDA KQEPNLQVDH MNLLKQFEHL DPQNQHTFEA
RDLELLIQTA TRDLAQYDAA HHEEFKRYEM LKEHERRRYL ESLGEEQRKE
AERKLQEQQR RHREHPKVNV PGSQAQLKEV WEELDGLDPN RFNPKTFFIL
HDINSDGVLD EQELEALFTK ELEKVYDPKN EEDDMREMEE ERLRMREHVM
KNVDTNQDRL VTLEEFLAST QRKEFGDTGE GWKTVEMSPA YTEEELKRFE
EELAAREAEL NARAQRLSQE TEALGRSQDR LEAQKRELQQ AVLQMEQRKQ
QLQEQSAPPS KPD
```

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.