

RPC920Mu01 10µg

Recombinant Platelet Derived Growth Factor C (PDGFC)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



### [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Glu23~Gly345

Tags: N-terminal His Tag

Subcellular Location: Membrane, Nucleus, Cytoplasm, Chromosome

**Purity:** > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.8

Predicted Molecular Mass: 40.2kDa

Accurate Molecular Mass: 40kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



# [SEQUENCE]

		ESNLSSKL	QLSSDKEQNG	VQDPRHERVV
TISGNGSIHS	PKFPHTYPRN	MVLVWRLVAV	DENVRIQLTF	DERFGLEDPE
DDICKYDFVE	VEEPSDGSVL	GRWCGSGTVP	GKQTSKGNHI	RIRFVSDEYF
<b>PSEPGFCIHY</b>	SIIMPQVTET	<b>TSPSVLPPSS</b>	LSLDLLNNAV	TAFSTLEELI
RYLEPDRWQV	DLDSLYKPTW	QLLGKAFLYG	KKSKVVNLNL	LKEEVKLYSC
TPRNFSVSIR	EELKRTDTIF	WPGCLLVKRC	GGNCACCLHN	CNECQCVPRK
VTKKYHEVLQ	LRPKTGVKGL	HKSLTDVALE	HHEECDCVCR	GNAGG

### [ IDENTIFICATION ]





Figure. Gene Sequencing (Extract)



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.