

RPG276Hu01 20µg Recombinant Proteasome 26S Subunit, ATPase 6 (PSMC6) Organism Species: *Homo sapiens (Human)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Cond-Clone Corp.

## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Ala2~Val403

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Cytoplasm, Chromosome

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.1

Predicted Molecular Mass: 49.3kDa

Accurate Molecular Mass: 46kDa as determined by SDS-PAGE reducing conditions.

### [<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

# Cond-Clone Corp.

AIPGIPYER RLLIMADPRD KALQDYRKKL LEHKEIDGRL KELREQLKEL TKQYEKSEND LKALQSVGQI VGEVLKQLTE EKFIVKATNG PRYVVGCRRQ LDKSKLKPGT RVALDMTTLT IMRYLPREVD PLVYNMSHED PGNVSYSEIG GLSEQIRELR EVIELPLTNP ELFQRVGIIP PKGCLLYGPP GTGKTLLARA VASQLDCNFL KVVSSSIVDK YIGESARLIR EMFNYARDHQ PCIIFMDEID AIGGRRFSEG TSADREIQRT LMELLNQMDG FDTLHRVKMI MATNRPDTLD PALLRPGRLD RKIHIDLPNE QARLDILKIH AGPITKHGEI DYEAIVKLSD GFNGADLRNV CTEAGMFAIR ADHDFVVQED FMKAVRKVAD SKKLESKLDY KPV

## [IDENTIFICATION]



### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.