

**RPA494Hu01 50µg**

**Recombinant Protein Kinase C Theta (PKCθ)**

**Organism Species: *Homo sapiens (Human)***

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

## [ **PROPERTIES** ]

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Phe380~Phe634

**Tags:** N-terminal His and GST Tag

**Subcellular Location:** Membrane, Cytoplasm

**Purity:** > 90%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

**Original Concentration:** 150µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 6.4

**Predicted Molecular Mass:** 59.8kDa

**Accurate Molecular Mass:** 60kDa as determined by SDS-PAGE reducing conditions.

## [ **USAGE** ]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## [ **STORAGE AND STABILITY** ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ **SEQUENCE** ]

F ILHKMLGKGS FGKVFLAEFK  
KTNQFFAIKA LKKDVMLMDD DVECTMVEKR VLSLAWEHPF LTHMFCTFQT  
KENLFFVMEY LNGGDLMYHI QSCHKFDLSR ATFYAAEIIL GLQFLHSGI  
VYRDLKLDNI LLDKDGHIKI ADFGMCKENM LGDAKTNTFC GTPDYIAPEI  
LLGQKYNHSV DWWSFGVLLY EMLIGQSPFH GQDEEELFHS IRMDNPFYPR  
WLEKEAKDLL VKLFFVREPEK RLGVRGDIRQ HPLF

**[ IDENTIFICATION ]**



**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.