

RPB380Hu01 50µg

Recombinant Protein Kinase C Zeta (PKCz)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Pro404~Ser591

Tags: N-terminal His Tag

Subcellular Location: Cytoplasm, Endosome

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO₃, 500mMNaCl, pH8.3, containing 0.01% SKL, 5%

Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.9

Predicted Molecular Mass: 25.4kDa

Accurate Molecular Mass: 27kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



```
PGDTTST FCGTPNYIAP EILRGEEYGF SVDWWALGVL MFEMMAGRSP
FDIITDNPDM NTEDYLFQVI LEKPIRIPRF LSVKASHVLK GFLNKDPKER
LGCRPQTGFS DIKSHAFFRS IDWDLLEKKQ ALPPFQPQIT DDYGLDNFDT
QFTSEPVQLT PDDEDAIKRI DQSEFEGFEY INPLLLSTEE S
```

[IDENTIFICATION]



SANT TO COT GOT GAZACAN OS ASCACTT TOT GOGGANOCOG ANTTACAT COCCOCCOANT COT GOGGGAGAGAGAGTAC GOGT COCCOT GOGGGCC TO GOT GOGGCC TO CAT TO THE GAGAN CAT GOT COCCOT TO CACAT CAT TO COCCOT ACAD CACAT CAT GOT COCCOT ACAD CACAT CAT GOT COCCOT TO CACAT CAT CACAT CAC

Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.