

RPH326Hu01 100µg

Recombinant Protein Phosphatase, Mg²⁺/Mn²⁺ Dependent 1A (PPM1A)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Gly2~Try382

Tags: N-terminal His Tag

Subcellular Location: Membrane, Nucleus

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.7

Predicted Molecular Mass: 46.0kDa

Accurate Molecular Mass: 46kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

GAFLDKPKM EKHNAQQQGN GLRYGLSSMQ GWRVEMEDAH TAVIGLPSGL
ESWSFFAVYD GHAGSQVAKY CCEHLLDHIT NNQDFKGSAG APSVENVKNG
IRTGFLEIDE HMRVMSEKKH GADRSNSTAV GVLISPQHTY FINCGDSRGL
LCRNRKVHFF TQDHKPSNPL EKERIQNAGG SVMIQRVNGS LAVSRALGDF
DYKCVHGKGP TEQLVSPEPE VHDIERSEED DQFIILACDG IWDVMGNEEL
CDFVRSRLEV TDDLEKVCNE VVDTCLYKGS RDNMSVILIC FPNAPKVSPE
AVKKEAELDK YLECRVEEII KKQGEVVDL VHVMTLASE NIPSLPPGGE
LASKRNVIEA VYNRLNPYKN DDTSTSTDD MW

```

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.