

RPA947Hu01 50µg

Recombinant Signal Regulatory Protein Gamma (SIRPg)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Pro111~lle372

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q9P1W8

Host: E. coli

Subcellular Location: Membrane; Single-pass

type I membrane protein.

Purity: >90%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in

100mM NaHCO3, 500mM NaCl, pH8.3, containing

1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%

trehalose, and preservative.

Predicted isoelectric point: 6.6

Predicted Molecular Mass: 32.5kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

kDa 70 44 33 26 22 18 14 10

15% SDS-PAGE

[USAGE]

Reconstitute in sterile ddH₂O.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

PADVGTYYCV KFRKGSPENV EFKSGPGTEM ALGAKPSAPV VLGPAARTTP EHTVSFTCES HGFSPRDITL KWFKNGNELS DFQTNVDPTG QSVAYSIRST ARVVLDPWDV RSQVICEVAH VTLQGDPLRG TANLSEAIRV PPTLEVTQQP MRVGNQVNVT CQVRKFYPQS LQLTWSENGN VCQRETASTL TENKDGTYNW TSWFLVNISD QRDDVVLTCQ VKHDGQLAVS KRLALEVTVH QKDQSSDATP GPASSLTALL LI

[REFERENCES]

- 1. Ichigotani Y., et al. (2000) J. Hum. Genet. 45:378-382.
- 2. Piccio L., et al. (2005) Blood 105:2421-2427.
- 3. Wollscheid B., et al. (2009) Nat. Biotechnol. 27:378-386.
- 4. Hatherley D., et al. (2008) Mol. Cell 31:266-277.