

RPE879Hu01 10µg

Recombinant Sorting Nexin 9 (SNX9)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Phe250~Met595

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm, Golgi apparatus

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% Sarcosyl,

5%Trehalose.

Original Concentration: 150µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.8

Predicted Molecular Mass: 43.8kDa

Accurate Molecular Mass: 44kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[SEQUENCE]

				F
DCVVADPRKG	SKMYGLKSYI	EYQLTPTNTN	RSVNHRYKHF	DWLYERLLVK
FGSAIPIPSL	PDKQVTGRFE	EEFIKMRMER	LQAWMTRMCR	HPVISESEVF
QQFLNFRDEK	EWKTGKRKAE	RDELAGVMIF	STMEPEAPDL	DLVEIEQKCE
AVGKFTKAMD	DGVKELLTVG	QEHWKRCTGP	LPKEYQKIGK	ALQSLATVFS
SSGYQGETDL	NDAITEAGKT	YEEIASLVAE	QPKKDLHFLM	ECNHEYKGFL
GCFPDIIGTH	KGAIEKVKES	DKLVATSKIT	LQDKQNMVKR	VSIMSYALQA
EMNHFHSNRI	YDYNSVIRLY	LEOOVOFYET	IAEKLROALS	RFPVM

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.