

RPL016Hu01 100ug

Recombinant Sprouty Related, EVH1 Domain Containing Protein 2 (SPRED2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Ala418

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.3

Predicted Molecular Mass: 51.2kDa

Accurate Molecular Mass: 51kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration less than or equal to 0.1mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]



```
MTEETHPDDD SYIVRVKAVV MTRDDSSGGW FPQEGGGISR VGVCKVMHPE
GNGRSGFLIH GERQKDKLVV LECYVRKDLV YTKANPTFHH WKVDNRKFGL
TFQSPADARA FDRGVRKAIE DLIEGSTTSS STIHNEAELG DDDVFTTATD
SSSNSSQKRE QPTRTISSPT SCEHRRIYTL GHLHDSYPTD HYHLDQPMPR
PYRQVSFPDD DEEIVRINPR EKIWMTGYED YRHAPVRGKY PDPSEDADSS
YVRFAKGEVP KHDYNYPYVD SSDFGLGEDP KGRGGSVIKT QPSRGKSRRR
KEDGERSRCV YCRDMFNHEE NRRGHCQDAP DSVRTCIRRV SCMWCADSML
YHCMSDPEGD YTDPCSCDTS DEKFCLRWMA LIALSFLAPC MCCYLPLRAC
YHCGVMCRCC GGKHKAAA
```

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.