

RPU312Hu01 100µg Recombinant TBC1 Domain Family, Member 13 (TBC1D13) Organism Species: *Homo sapiens (Human)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Cond-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met1~Asp345

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.9

Predicted Molecular Mass: 43.8kDa

Accurate Molecular Mass: 44kDa as determined by SDS-PAGE reducing conditions.

## [<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ <u>SEQUENCE</u> ]

## Cond-Clone Corp.

MSSLHKSRIA DFQDVLKEPS IALEKLRELS FSGIPCEGGL RCLCWKILLN YLPLERASWT SILAKQRELY AQFLREMIIQ PGIAKANMGV SREDVTFEDH PLNPNPDSRW NTYFKDNEVL LQIDKDVRRL CPDISFFQRA TDYPCLLILD PQNEFETLRK RVEQTTLKSQ TVARNRSGVT NMSSPHKNSV PSSLNEYEVL PNGCEAHWEV VERILFIYAK LNPGIAYVQG MNEIVGPLYY TFATDPNSEW KEHAEADTFF CFTNLMAEIR DNFIKSLDDS QCGITYKMEK VYSTLKDKDV ELYLKLQEQN IKPQFFAFRW LTLLLSQEFL LPDVIRIWDS LFADD




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.