

RPC183Hu01 1

Recombinant Tropomyosin Receptor Kinase B (TrkB)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Cys32~His430

Tags: N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.2

Predicted Molecular Mass: 47.9KDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[SEQUENCE]

			CPTSCKCSA	SRIWCSDPSP
GIVAFPRLEP	NSVDPENITE	IFIANQKRLE	IINEDDVEAY	VGLRNLTIVD
SGLKFVAHKA	FLKNSNLQHI	NFTRNKLTSL	SRKHFRHLDL	SELILVGNPF
TCSCDIMWIK	TLQEAKSSPD	TQDLYCLNES	SKNIPLANLQ	IPNCGLPSAN
LAAPNLTVEE	GKSITLSCSV	AGDPVPNMYW	DVGNLVSKHM	NETSHTQGSL
RITNISSDDS	GKQISCVAEN	LVGEDQDSVN	LTVHFAPTIT	FLESPTSDHH
WCIPFTVKGN	PKPALQWFYN	GAILNESKYI	CTKIHVTNHT	EYHGCLQLDN
PTHMNNGDYT	LIAKNEYGKD	EKQISAHFMG	WPGIDDGANP	NYPDVIYEDY
GTAANDIGDT	TNRSNEIPST	DVTDKTGREH		

[IDENTIFICATION]





Figure. Gene Sequencing (Extract)



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.