

RPG483Mu01 100ug Recombinant Tubulointerstitial Nephritis Antigen Like Protein 1 (TINAGL1) Organism Species: *Mus musculus (Mouse) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression **Host:** *E.coli*

Residues: Arg22~His466

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.4

Predicted Molecular Mass: 54.1kDa

Accurate Molecular Mass: 54kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

Cond-Clone Corp.

RRSRWRREL APGLHLRGIR DAGGRYCQEQ DMCCRGRAD ECALPYLGAT CYCDLFCNRT VSDCCPDFWD FCLGIPPPFP PVQGCMHGG RIYPVFGTYW DNCNRCTCHE GGHWECDQEP CLVDPDMIKAINRGNYGWQAGNHS AFWGM TLDEGIRYRL GTIRPSSTVM NMNEIYTVLG QGEVLPTAFEASEK WPNLI HEPLDQGNCA GSWAFSTAAV ASDRVSIHSL GHMTPILSPQNLL SCDTHH QQGCRGGRLD GAWWFLRRRG VVSDNCYPFS GREQNEASP TPRCMMHSRA MGRGKRQATS RCPNGQVDSNDIYQVTPAYR LGSDEKEIM KELMENGPVQ ALMEVHEDFF LYQRGIYSHT PVSQGRPEQY RRHGTHSVK ITGWGEETLP DGRTIKYWTA ANSWGPWWGE RGHFRIVRGT NECDIETFV LGVWGRVGME DMGHH

[IDENTIFICATION]

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.